

HIV-1 Nef protein

05-011 20 ug, 05-012 100 ug

Storage: Ship with ice-pack and store at-20°C.

Product: Full-size recombinant HIV-1 Nef protein expressed in E.coli. No tag is attached.

Applications:

- 1) Functional studies of HIV-1 Nef protein
- 2) SDS-PAGE and Western blotting
- 3) ELISA

Purity: Over 90% by SDS-PAGE

Form: 50% glycerol, 20 mM Tris-HCl (pH 7.5), 50 mM NaCl, 10 mM mercaptoethanol

Data Link: ProtKB: <u>P03406</u> (NEF_HV1BR) GenBank: <u>AAA44988.1</u>

Background: HIV-1 Nef is one of the accessory proteins synthesized in the early stage of AIDS virus reproduction and is abundantly found in infected cells. The name derives from its <u>negative factor</u> thought at the beginning but presently it is remarked as the protein which bears the most distinctive biological characteristic of AIDS virus (1). The protein interacts directly with the signal transduction protein of the host T cells and works effectively on AIDS infection or on long term survival of the infected cells or induces apoptosis of non-infected cells (2). It is also involved in endocytosis and degradation of the cell surface receptor proteins such as CD4 and MH4 which are important for AIDS virus infection.

References

- 1. Arora VK *et al* "Nef: agent of cell subversion." *Microbes Infect* **4**: 189-199 (2002) Review PMID: <u>11880052</u>
- Fackler OT and Baur AS "Live and let die: Nef functions beyond HIV replication." Immunity 16:493-497 (2002) Review PMID: <u>11970873</u>
- Adachi A *et al* 'Production of acquired immunodeficiency syndrome-associated retrovirus in human and nonhuman cells transfected with an infectious molecular clone." J Virol 59: 284 -291(1986) PMID: <u>3016298</u>




Fig.1 SDS-polyacrylamide gel electrophoresis of HIV-1 Nef protein.